



NUPLA® POWER DRIVE®


Dead Blow Hammers



Extreme Power Drive with SG Grip



Standard Power Drive with SG grip



Strike Pro® Power Drive with C grip

Part No.	Description	Head Wt.	Head Lgth.	Handle Length	Grip Style	Std. Pack	Std. Pack Wt.
EXTREME POWER DRIVES							
10061	SDSF-1SG Extreme Power Drive	1 lb	4.50"	12.50"	SG	5	5.75 lb
10062	SDSF-2SG Extreme Power Drive	2 lb	5.00"	13.75"	SG	5	10.75 lb
10063	SDSF-3SG Extreme Power Drive	3 lb	5.50"	14.50"	SG	2	6.30 lb
10064	SDSF-4SG Extreme Power Drive	4 lb	5.75"	15.50"	SG	2	8.30 lb
10051	SDSF-1 Extreme Power Drive	1 lb	4.50"	12.50"	C	5	5.75 lb
10052	SDSF-2 Extreme Power Drive	2 lb	5.00"	13.75"	C	5	10.75 lb
10053	SDSF-3 Extreme Power Drive	3 lb	5.50"	14.50"	C	2	6.30 lb
10054	SDSF-4 Extreme Power Drive	4 lb	5.75"	15.50"	C	2	8.30 lb
STANDARD POWER DRIVES							
10015	SF-1SG Power Drive	1 lb	4.50"	12.50"	SG	5	5.75 lb
10022	SFB-2SG Power Drive, 1 Brass Face	2 lb	5.00"	13.75"	SG	5	12.50 lb
10025	SF-2SG Power Drive	2 lb	5.00"	13.75"	SG	5	10.75 lb
10027	SFS-2SG Power Drive, 1 Steel Face	2 lb	5.00"	13.75"	SG	5	12.50 lb
10035	SF-3SG Power Drive	3 lb	5.50"	14.50"	SG	2	6.30 lb
10045	SF-4SG Power Drive	4 lb	5.75"	15.50"	SG	2	8.30 lb
10009	SF-80z Power Drive	.5 lb	3.00"	11.00"	H	5	2.50 lb
10010	SF-1 Power Drive	1 lb	4.50"	12.50"	C	5	5.75 lb
10020	SF-2 Power Drive	2 lb	5.00"	13.75"	C	5	10.75 lb
10021	SFB Power Drive, 1 Brass Face	2 lb	5.00"	13.75"	C	5	12.50 lb
10028	SFS Power Drive, 1 Steel Face	2 lb	5.00"	13.75"	C	5	12.50 lb
10030	SF-3 Power Drive	3 lb	5.50"	14.50"	C	2	6.30 lb
10040	SF-4 Power Drive	4 lb	5.75"	15.50"	C	2	8.30 lb
STRIKE PRO POWER DRIVES							
10135	STP16 Strike ProPower Drive, Yellow	1 lb	5.00"	12.00"	C	5	6.00 lb
10235	STPO16 Strike Pro Power Drive, Orange	1 lb	5.00"	12.00"	C	5	6.00 lb
10175	STP24 Strike Pro Power Drive, Yellow	2 lb	5.75"	12.25"	C	5	8.50 lb
10275	STPO24 Strike Pro Power Drive, Orange	2 lb	5.75"	12.25"	C	5	8.50 lb



NUPLA® POWER DRIVE®


Dead Blow Hammers




The "Driver" Power Drive All Purpose "Drive-Thru" Tool



Drives Pins, Rods, Pistons - Moves objects
Use with Extreme Power Drive Hammer on page 3



Use different Quick Change Tips



No-Bounce THUMPER™
World's First Handleless Hammer

- Made in U.S.A.
- 30% More Driving Force Than A Conventional Mallet
- Hundreds of Uses
- Useful For Tight Restricted Areas
- Fits easily in Tool Kits & Tool Belts

Lifetime Warranty

Nupla Corporation 11912 Sheldon St., Sun Valley, CA 91352

Thumper Power Drive Blister Pack

"The Handleless Hammer"

Two sizes:

10 oz. for smaller hands for light work

14 oz. for larger hands for heavier work

No-Bounce THUMPER™
THE WORLD'S FIRST NO-HANDLE HAMMER

- Delivers Powerful Driving Force
- Easy to use
- Useful for tight restricted areas
- Fits easily in tool kits & tool belts
- Available in 2 sizes: 10 oz. & 14 oz.

Hundreds of Uses:

Nupla Corporation
11912 Sheldon St.
Sun Valley, CA
(800) 872-7661
Made in U.S.A.
Lifetime Warranty

Thumper Power Drive Self-Selling Counter Display

Part No.	Description	Head Wt.	Head Lgth.	Tip Dia.	Handle Length	Grip Style	Std. Pack	Std. Pack Wt.
"THE DRIVER" POWER DRIVE								
30419	PPP19NB Driver Power Drive®, Heavy Duty All Purpose "Drive-Thru" Tool with Tough Tip Uses Quick-Change Tips	2.50 lb	na	1.50"	19.00"	Bolt Cutter	1	2.50 lb.
"THUMPER" HANDLELESS HAMMER POWER DRIVES								
10710	T10STS Thumper Power Drive®, Light Duty Handleless Hammer - 1 Soft Face, 1 Steel Face Single Blister Pack	10 oz.			na	na	4	2.75 lb
10714	T14STS Thumper Power Drive®, Heavy Duty Handleless Hammer - 1 Soft Face, 1 Steel Face Single Blister Pack	14 oz.			na	na	4	4.50 lb
10810	T10ST Thumper Power Drive®, Light Duty Handleless Hammer - 1 Soft Face, 1 Steel Face Self-Selling Counter Display	10 oz.			na	na	12	8.70 lb
10814	T14STSThumper Power Drive®, Heavy Duty Handleless Hammer - 1 Soft Face, 1 Steel Face Self-Selling Counter Display	14 oz.			na	na	12	13.50 lb




NUPLA® POWER DRIVE®

Dead Blow Hammers




Quick-Change Impax® Power Drive with SG grip without tips



Quick-Change Impax® Power Drive with C grip without tips

Quick-Change Impax Power Drive Sets



Quick-Change Super Impax Sledge Power Drive with CS grip without tips

Part No.	Description	Head Wt.	Tip Dia.	Handle Length	Grip Style	Std. Pack	Std. Pack Wt.
Quick-Change IMPAX POWER DRIVES - Without Tips							
Use Quick-Change ("QC") Super Soft to Extra Hard Striking Tips - Order Striking Tips separately							
03366	SPI-256SG Impax Power Drive, no tips	4.00 lb	2.50"	14.50"	SG	4	17.00 lb
03371	SPI-256-18SG Impax Power Drive, no tips	4.00 lb	2.50"	18.00"	SG	4	17.50 lb
07607	SPI-306-SG Impax Power Drive, no tips	6.00 lb	3.00"	14.50"	SG	2	13.00 lb
03306	SPI-106 Impax Power Drive, no tips	0.75 lb	1.00"	11.50"	C	6	6.00 lb
03356	SPI-156 Impax Power Drive, no tips	1.00 lb	1.50"	12.50"	C	6	7.00 lb
03360	SPI-206 Impax Power Drive, no tips	2.00 lb	2.00"	13.50"	C	4	9.00 lb
03365	SPI-256 Impax Power Drive, no tips	4.00 lb	2.50"	14.50"	C	4	17.00 lb
03370	SPI-256-18 Impax Power Drive, no tips	4.00 lb	2.50"	18.00"	C	4	17.50 lb
07606	SPI-306 Impax Power Drive, no tips	6.00 lb	3.00"	14.50"	C	2	13.00 lb
Quick-Change IMPAX POWER DRIVE SETS							
02356	SPI-156-S6 Impax Power Drive Set Includes 1 lb. Impax Power Drive with six 1.5" tips (soft, medium, medium-hard, hard, extra-hard, steel) and Carrying Case	1.00 lb	1.50"	12.50"	C	1	3.00 lb
02358	SPI-156-S6 Impax Power Drive Set Includes 1 lb. Impax Power Drive with eight 1.5" tips (super soft, soft, medium, tough, medium-hard, hard, extra-hard, steel) and Carrying Case	1.00 lb	1.50"	12.50"	C	1	3.25 lb
Quick-Change IMPAX SLEDGE POWER DRIVES - Without Tips							
Use Quick-Change ("QC") Soft to Extra Hard Striking Tips - Order Striking Tips separately							
07403	S-402SG Impax Sledge Power Drive Sledge Hammer, no tips	16.00 lb	4.00"	34.00"	SG	1	16.50 lb
07405	S-404SG Impax Sledge Power Drive Sledge Hammer, no tips	20.00 lb	4.00"	34.00"	SG	1	20.50 lb
07402	S-402 Impax Sledge Power Drive Sledge Hammer, no tips	16.00 lb	4.00"	34.00"	CS	1	16.50 lb
07404	S-404 Impax Sledge Power Drive Sledge Hammer, no tips	20.00 lb	4.00"	34.00"	CS	1	20.50 lb